

| <b>LIST OF HAPPINESS FOOD STREET, SECTOR 12, FARIDABAD, E-AUCTION DATED 18.11.2022</b> |                    |               |               |                          |   |             |            |                      |                   |                    |
|--|--------------------|---------------|---------------|--------------------------|---|-------------|------------|----------------------|-------------------|--------------------|
| <b>Sr No.</b>  | <b>Auction_ Id</b> | <b>Estate</b> | <b>Sector</b> | <b>Active Plots Name</b> | <b>Auction Description</b>  | <b>Area</b> | <b>FAR</b> | <b>Reserve Price</b> | <b>EMD Amount</b> | <b>JOB NO.</b>     |
| 1  | 38247              | Faridabad     | 12            | 1 (Corner)               | Kiosk Area (7.32 x 7.32) Mandatory Open Space for Tandoor and Passage (7.32*3.66) (Corner), Total Area = 80.37 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 80.37       | 1          | 12180800             | 609100            | Job to be prepared |
| 2  | 38248              | Faridabad     | 12            | 2 (Corner)               | Kiosk Area (7.32 x 7.32) Mandatory Open Space for Tandoor and Passage (7.32*3.66) (Corner), Total Area = 80.37 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 80.37       | 1          | 12180800             | 609100            | Job to be prepared |
| 3  | 38249              | Faridabad     | 12            | 3 (Corner)               | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19       | 1          | 6091200              | 304600            | 3415               |

|   |       |           |    |             |   |       |   |         |        |      |
|---|-------|-----------|----|-------------|---|-------|---|---------|--------|------|
| 4 | 38250 | Faridabad | 12 | 12 (Corner) | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200 | 304600 | 3415 |
| 5 | 38251 | Faridabad | 12 | 13 (Corner) | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200 | 304600 | 3415 |
| 6 | 38252 | Faridabad | 12 | 18 (Corner) | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200 | 304600 | 3415 |
| 7 | 38253 | Faridabad | 12 | 19 (Corner) | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200 | 304600 | 3415 |

|    |       |           |    |             |   |       |   |          |        |                    |
|----|-------|-----------|----|-------------|---|-------|---|----------|--------|--------------------|
| 8  | 38254 | Faridabad | 12 | 24 (Corner) | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200  | 304600 | 3415               |
| 9  | 38255 | Faridabad | 12 | 25 (Corner) | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200  | 304600 | 3415               |
| 10 | 38256 | Faridabad | 12 | 34 (Corner) | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200  | 304600 | 3415               |
| 11 | 38257 | Faridabad | 12 | 35 (Corner) | Kiosk Area (7.32 x 7.32) Mandatory Open Space for Tandoor and Passage (7.32*3.66) (Corner), Total Area = 80.37 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 80.37 | 1 | 12180800 | 609100 | Job to be prepared |

|    |       |           |    |             |   |       |   |          |        |                    |
|----|-------|-----------|----|-------------|---|-------|---|----------|--------|--------------------|
| 12 | 38258 | Faridabad | 12 | 36 (Corner) | Kiosk Area (7.32 x 7.32) Mandatory Open Space for Tandoor and Passage (7.32*3.66) (Corner), Total Area = 80.37 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 80.37 | 1 | 12180800 | 609100 | Job to be prepared |
| 13 | 38259 | Faridabad | 12 | 37 (Corner) | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200  | 304600 | 3415               |
| 14 | 38260 | Faridabad | 12 | 46 (Corner) | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200  | 304600 | 3415               |
| 15 | 38261 | Faridabad | 12 | 47 (Corner) | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200  | 304600 | 3415               |

|    |       |           |    |             |   |       |   |         |        |      |
|----|-------|-----------|----|-------------|---|-------|---|---------|--------|------|
| 16 | 38262 | Faridabad | 12 | 52(Corner)  | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200 | 304600 | 3415 |
| 17 | 38263 | Faridabad | 12 | 53 (Corner) | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200 | 304600 | 3415 |
| 18 | 38264 | Faridabad | 12 | 58 (Corner) | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200 | 304600 | 3415 |
| 19 | 38265 | Faridabad | 12 | 59 (Corner) | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200 | 304600 | 3415 |

|    |       |           |               |  |   |       |   |          |        |                    |  |
|----|-------|-----------|---------------|--|---|-------|---|----------|--------|--------------------|--|
| 20 | 38266 | Faridabad | 12            | 68 (Corner)  | Kiosk Area (3.66 x 7.32) Mandatory Open Space for Tandoor and Passage (3.66x3.66) (Corner), Total Area = 40.19 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 40.19 | 1 | 6091200  | 304600 | 3415               |  |
| 21 | 38267 | Faridabad | 12            | 69 (Corner)  | Kiosk Area (7.32 x 7.32) Mandatory Open Space for Tandoor and Passage (7.32*3.66) (Corner), Total Area = 80.37 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 80.37 | 1 | 12180800 | 609100 | Job to be prepared |  |
| 22 | 38268 | Faridabad | 12            | 70 (Corner)  | Kiosk Area (7.32 x 7.32) Mandatory Open Space for Tandoor and Passage (7.32*3.66) (Corner), Total Area = 80.37 sqm (The Kiosk shall be constructed by the owner in steel structure i.e. With steel columns and steel/ galvanized sheets (Preferably, Thermal Insulated) as per Architectural Controll Drawings to be provided by the Department.) | 80.37 | 1 | 12180800 | 609100 | Job to be prepared |  |
|    |       |           | <b>Note 1</b> | <b>Bidders are requested to check final list before bidding.</b>   |   |       |   |          |        |                    |  |
|    |       |           | <b>Note 2</b> | <b>EMD is calculated on Reserve Price, the first round of bidding will start from Reserve Price fixed by HSVP.</b> |   |       |   |          |        |                    |  |
|    |       |           | <b>Note 3</b> | <b>The payment terms on these properties will be as per Para No.34(A) of eAuction Policy dated 20.07.2022.</b>     |   |       |   |          |        |                    |  |